

May 18, 2001

Ms. Lisha Cordova
State of Utah
Division of Oil Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114
Attn: Lisha Cordova

RE: Bonanza #10-3, Sec. 10-T10S-R23E Mer UBM

Bonanza #10-2, Sec. 10-T10S-R23E Mer UBM Bonanza # 9-5, Sec. 9-T10S-R23E Mer UBM Bonanza # 8-2, Sec. 8-T10S-R23E Mer UBM

Dear Ms. Cordova:

Enclosed is the APD's for the locations listed above. Please do not hesitate to call me if you have any questions, or need additional information at (435) 781-7021.

Holly Miner,

Holly Mines

Regulatory Assistant

RECEIVED

MAY 2 1 2001

DIVISION OF OIL, GAS AND MINING Form 3160-3 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

BUREAU OF LAND MANAGEMENT	5. Lease Serial No. U-37355
APPLICATION FOR PERMIT TO DRILL OR REENTER	6. If Indian, Allottee or Tribe Name

1a. Type of Work: DRILL REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name	and No.
1b. Type of Well: Oil Well 🔀 Gas Well 🗍 Oth	ner Single Zone	Lease Name and Well No. BONANZA 9-5	
	CHERYL CAMERON E-Mail: Cheryl.Cameron@CoastalCorp.com	9. API Well No. 43-047-34088	
3a. Address P.O. BOX 1148 VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.7023 Fx: 435.789.4436	10. Field and Pool, or Exploratory BONANZA	
At surface SESW 1273FSL 1822FWL At proposed prod. zone	ו /וווווים עוע	11. Sec., T., R., M., or Blk. and Sur Sec 9 T10S R23E Mer UB	•
14. Distance in miles and direction from nearest town or post of 76.6 MILES SOUTHWEST OF VERNAL, UTAH		12. County or Parish UINTAH	13. State UT
 Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 1273 	16. No. of Acres in Lease 1920.00	17. Spacing Unit dedicated to this v	well
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. REFER TO TOPO C	19. Proposed Depth 8450 MD	20. BLM/BIA Bond No. on file U-605382-9	
21. Elevations (Show whether DF, KB, RT, GL, etc. 5041 GL	22. Approximate date work will start	23. Estimated duration	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
 A Drilling Plan.
 A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature	Name (Printed/Typed) OUERYL CAMERON	Date 05/18/2001
Title OPERATIONS	No. of the last of	
Approved by (Signature)	Name (Printed/Typed)	OS-24-01
Title	Office RECLAMATION SPECIALIST IN	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #4341 verified by the BLM Well Information System UNV St. D TiO For COASTAL OIL & GAS CORPORATION, sent to the Vernal DINIZION OL

100S 1 S YAM

T10S, R23E, S.L.B.&M.



LEGEND:

= 90° SYMBOL

LATITUDE = 39'57'35" LONGITUDE = 109'20'03"

= PROPOSED WELL HEAD.


= SECTION CORNERS LOCATED.

COASTAL OIL & GAS CORP.

Well location, BONANZA #9-5, located as shown in the SE 1/4 SW 1/4 of Section 9, T10S, R23E, S.L.B.&M. Uintah County, Utah

BASIS OF ELEVATION

BENCH MARK 57 EAM LOCATED IN THE NE 1/4 OF SECTION 29, T9S, R23E, S.L.B.&M. TAKEN FROM THE RED WASH SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5192 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT MASSIFICE ARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OF UNDER MY.
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND GURVEYOR REGISTRATION NO 161315.

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

1" = 1000'	DATE SURVEYED: DATE DRAWN: 1-4-01 1-11-01				
J.F. P.J. C.G.	REFERENCES G.L.O. PLAT				
WEATHER COOL	FILE COASTAL OIL & G	AS CORP.			

COASTAL OIL & GAS CORP.

BONANZA #9-5

LOCATED IN UINTAH COUNTY, UTAH SECTION 9, T10S, R23E, S.L.B.&M.




PHOTO: VIEW OF WELL LOCATION STAKE

CAMERA ANGLE: SOUTHWESTERLY




PHOTO: VIEW OF EXISTING ROAD AT EDGE OF PAD

CAMERA ANGLE: SOUTHEASTERLY





BONANZA #9-5 SE/SW Sec 9, T10S, R23E UINTAH COUNTY, UTAH U-37355

ONSHORE ORDER NO. 1 COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM

1. Geologic Surface Formation:

Uinta – at Surface

2. Estimated Tops/Depths of Important Geologic Markers/Anticipated Gas:

Substance	<u>Formation</u>	<u>Depth</u>
	KB	5035'
	Green River	865'
Gas	Wasatch	3695'
Gas	Mesaverde	5495'
	TD	7950'

3. Pressure Control Equipment (Schematic Attached)

The BOP stack will consist of one 11" 3,000 psi annular BOP, one 11" 3,000 psi double ram, and one 11' drilling spool. The lower ram will contain pipe rams, and the upper ram will contain blind rams.

The choke and kill lines and the choke manifold will have a 3,000 psi minimum pressure rating.

The hydrill will be tested to 1,500 psi. The rams, choke manifold, kelly safety valves, drill string safety valves, and inside BOP will be tested to 3,000 psi.

4. Proposed Casing & Cementing Program:

The Surface casing and the Production casing will be new.

Please refer to the attached Casing & Cementing Program.

5. **Drilling Fluids Program:**

Please refer to the attached Drilling Fluids Program

6. Evaluation Program: (Logging)

Please refer to the attached Drilling Program.

7. Abnormal Conditions:

Maximum anticipated bottomhole pressure calculated @ 7,950' TD approximately equals 3,180 psi (calculated at 0.4 psi/foot). Maximum anticipated surface pressure equals approximately 1,431 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates:

Drilling is planned to commence immediately upon approval of this application.

9. Variances:

None anticipated.

10. Other:

A Class III Archaeological Study Report, conducted by AERC is attached.

BONANZA #9-5 SE/SW SEC. 9, T10S, R23E UINTAH COUNTY, UTAH U-37355

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

To reach the proposed location: Proceed in a easterly, then southerly direction from Vernal, Utah along U.S. Highway 40 approximately 4.0 miles to the junction of State Highway 45; exit right and proceed in a southerly then southeasterly direction approximately 36.0 miles to Bonanza, Utah and the junction of this road and an existing road to the west; turn right and proceed in westerly direction approximately 3.9 miles to the junction of this road and an existing road to the south; turn left and proceed in a southerly direction approximately 1.3 miles to the junction of this road and a existing road to the south; turn right and proceed in a southerly then southwesterly direction approximately 6.6 miles to the junction of this road and an existing road to the west; turn right and proceed in a westerly then southwesterly direction approximately 5.3 miles to the junction of this road and an existing road to the east; turn left and proceed in a easterly then northeasterly direction approximately 0.4 miles to the junction of this road and an existing road to the northeast; turn left and proceed in a northeasterly then southeasterly then southeasterly direction approximately 1.6 miles to the proposed location.

The total distance from Vernal, Utah to the proposed well location is approximately 59.4 miles.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

2. Planned Access Roads:

No new access road required.

The access road will be crowned (2 to 3%), ditched and constructed with a running surface of 18 feet and a maximum disturbed width of 30 feet. Graveling or capping the roadbed will be performed as necessary to provide a well constructed, safe road. Prior to construction or upgrading, the proposed road shall be cleared of any snow and allowed to dry completely.

Surface disturbance and vehicular traffic will be limited to the proposed location and proposed access route. Any additional area needed will be approved in advance. All construction shall be in conformance with the standards outlined in the BLM and Forest Service publication: <u>Surface</u> Operating Standards for Oil and Gas Exploration and Development. 1989.

The road surface and shoulders will be kept in a safe an usable condition and will be maintained in accordance with the original construction standards. All drainage ditches will be kept clear and free-

flowing and will be maintained according to original construction standards. The access road surface will be kept free of trash during operations. All traffic will be confined to the approved disturbed surface. Road drainage crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing or shall the drainages be blocked by the road bed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Should mud holes develop, they shall be filled in and detours around them avoided. When snow is removed from the road during the winter months, the snow shall be pushed outside of the borrow ditches, and the turnouts kept clear so that snowmelt will be channeled away from the road.

3. <u>Location of Existing Wells Within a 1-Mile Radius:</u>

Please refer to Topo Map C.

4. <u>Location of Existing & Proposed Facilities</u>:

The following guidelines will apply if the well is productive.

All production facilities will be located on the disturbed portion of the well pad and at a minimum of 25 feet from the toe of the back slope or the top of the fill slope.

A dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks, and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

All permanent (on-site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Juniper Green as determined during the on-site inspection.

Any necessary pits will be properly fenced to protect livestock and prevent wildlife entry.

The proposed pipeline Re-Route is approximately 500'. Refer to Topo D Map

5. Location and Type of Water Supply:

Water for drilling purposes will be obtained from Dalbo Inc.'s underground well located in Ouray, Utah, Sec.32, T4S,R3E, Water User Claim #43-8496, Application #53617.

Water will be hauled to location over the roads marked on Maps A and B.

No water well is to be drilled on this lease.

6. Source of Construction Materials:

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

7. Methods of Handling Waste Materials:

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated.

The reserve pit will be constructed on the location and will not be located within natural drainage, where a flood hazard exists or surface runoff will destroy or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

A plastic reinforced liner is to be used as discussed during on-site inspection. It will be a minimum of 12 mil thick, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical porta-toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. No trash will be burned on location.

All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig.

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec.35, T9S, R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E. (Request is in lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities:

None are anticipated.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Location size may change prior to the drilling of the well die to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched, by using a stretching device, before it is attached to corner posts.

The reserve pit fencing will be on three sides during drilling operations, and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. Plans for Reclamation of the Surface:

Producing Location:

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Before any dirt work associated with location restoration takes place, the reserve pit shall be as dry as possible. All debris in it will be removed. Other waste and spoil materials will be disposed of immediately upon completion of operations.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion, weather permitting.

To prevent surface water (s) from standing (ponding) on the reclaimed reserve pit area, final reclamation of the reserve pit will consist of "mounding" the surface three feet above surrounding ground surface to allow the reclaimed pit area to drain effectively.

Upon completion of backfilling, leveling, and recontouring, the stockpiled topsoil will be spread evenly over the reclaimed area(s).

Dry Hole/Abandoned Location:

Abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and re-establishment of vegetation as specified.

All disturbed surfaces will be recontoured to the approximate natural contours, with reclamation of the well pad and access road to be performed as soon as practical after final abandonment. Reseeding operations will be performed after completion of other reclamation operations.

11. Surface Ownership:

Bureau of Land Management 170 South 500 East Vernal, UT 84078 (435) 781-4400

12. Other Information:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, the approved Plan of Operations, and any applicable Notice of Lessees. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance. The Operator will control noxious weeds along Rights-Of-Way for roads, pipelines, well sites, or other applicable facilities.

13. Lessee's or Operators's Representative & Certification:

Cheryl Cameron Sr. Regulatory Analyst Coastal Oil & Gas Corporation P.O. Box 1148 Vernal, UT 84078 (435) 781-7023 Darrell Molnar
Drilling Manager
Coastal Oil & Gas Corporation
9 Greenway Plaza, Suite 2775
Houston, TX 77046
(832) 646-4295

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Coastal Oil & Gas Corporation is considered to be the operator of the subject well. Coastal Oil & Gas Corporation agrees to be responsible under the terms and the conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104 for the lease activities is being provided by Coastal Oil & Gas Corporation Bond #102103, BLM Nationwide Bond #U-605382-9.


I hereby certify that the proposed drill site and access route has been inspected and that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

/s/Cheryl Cameron hery Comeron	5/17/01
Cheryl Cameron	Date

COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM FOR APD

COMPANY NAME	Coastal Oil & Gas Corporation	DATE	May 14, 2	May 14, 2001			
WELL NAME	Bonanza # 9 - 5	TD	8,450'	MD/TVD			
FIELD Bonanza	COUNTY Uintah STATE	Utah	ELEVATION	5,035'	KB		
SURFACE LOCATION	1475' FSL, 1839' FWL, NE/SW, SEC. 9, T	10S, R23E				BHL	Straight Hole
OBJECTIVE ZONE(S)	Wasatch, Mesaverda						
ADDITIONAL INFO	BLM, UTDOGM, TRI-COUNTY HEALTH I	DEPT, UINTA	H COUNTY				



COASTAL OIL & GAS CORPORATION DRILLING PROGRAM FOR APD

CASING PROGRAM

							IESIGN FACT	ORS
	SIZE	INTERVAL	WT.	GR.	CPLG.	BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'						
			HE SHOW		ng Mg	2950	1370	263000
SURFACE	8-5/8"	0-450'	24#	K-55	STC	11.69	6.51	4.33
	2000年上的10月	BEARING THE ST	websil	14. 事 <i>籍</i>		10640	5860	568000
PRODUCTION*	5-1/2"	0-TD	17#	P-110	LTC	3.57	1.33	2.93

- 1) Maximum Anticipated Surface Pressure (MASP) (Conductor and Surface Casings) = (Frac Gradient at Shoe Gas Gradient (0.115 psi/ft))(TVD)
- 2) MASP (Int Casing) = Pore Pressure at Next Casing Point (Gas Gradient x TVD of Next Casing Point x 0.67) (Mud Weight x TVD x 0.052 x 0.33)
- 3) MASP (Prod Casing) = Pore Pressure (Gas Gradient x TVD of Production Interval)

(Burst Assumptions: FG @ 8-5/8" shoe = 13.0 ppg, Max Pore Pressure = 9.0 ppg EMW)

(Collapse Assumption: Fully Evacuated Casing, Max MW)

(Tension Assumptions: Air Weight of Casing, 50,000 lbs overpull)

CEMENT PROGRAM

SURFACE					
PRODUCTION					

	FT. OF FILL	DESCRIPTION	SACKS	EXCESS*	WEIGHT	YIELD
	450	Class G + 2% CaCl ₂ + 0.25 lb/sk Cello	150	35%	15.80	1,17
		Flake	AT AFTE			
EAD	3,195'	Hifill Mod. +16% gel + 3% salt + 10#/sk	350	50%	11.60	3.12
		gilsonite + 1% HR7 + 0.6% Econolite		one establi		
		+ 0.2% FWCA + 0.25 lb/sk Flocele				
	A = 1705 (BHERT 1798		in Brightin			nic Abbigut
ΓAΙL.	5,255'	50/50 POZ + 2% gel + 2% Microbond	1440	50%	14.35	1.25
	ALLIANTS THE	+ 5% salt + 0.2% Super CBL	Elisik sikirsis	h Harman i a		
		+ 0.6% HALAD 322 + 0.25 #/sk Flocele				

^{*} or 15% over caliper log


FLOAT EQUIPMENT & CENTRALIZERS

SURFACE

Guide shoe, 1 jt, float collar. Centralize first 3 joints & every other joint to surface with bow spring centralizers. Thread lock FE up to & including pin end of FC.

Guide shoe, 1 jt, float collar. Centralize first 3 joints & every other joint to top of tail cement with bow spring centralizers.

WELLHEAD EQUIPMENT



Page 3/3

COASTAL OIL & GAS CORPORATION DRILLING PROGRAM FOR APD

BIT PROGRAM

	ROCK BIT & PDC BIT PROGRAM								
INTERVAL Programme	HOLE	BIT MFG & MODEL	GPM	SERIAL	NZLS	COMMENTS			
Surface Hole	12-1/4"	Various							
	HH1	in Past Ins.		12.5×12.5×1	# 100 oc	enanta			
Surf Csg - TD	7-7/8"	F-45H	350	New	16-16-16	Mud Motor			
		THE COST MANAGEMENT	inidahan.	A ALGERTA					
If 2nd bit is required	7-7/8"	G536 or equivalnet PDC	350	Rental	0.5 sqin TFA	Mud Motor			
7182 BJ		4 1381 146	Relation 2 h	Halle (Sear. SH	Waller of Her	let. Inthe Kines			
		3/4" cutter, 5-6 blades							

7 7/8" F-45H, run 50,000# WOB (app. 25 DC's) & 70 RPM	
Run PDC bit if primary bit fails to reach TD	
7-7/8" G536 PDC; Run 10K - 20K WOB & 50-80 RPM	
Nozzle down PDC to 0.5 sain TEA	

GEOLOGICAL DATA

LOGGING	L	О	G	G	IN	IG
---------	---	---	---	---	----	----


Depth	Log Type
SC - TD	PEX
TREADURATE AND A CONTRACTOR OF ASSAULT	


MUD LOGGER:	2500' - TD only if required by Geology
SAMPLES:	As per Geology
CORING:	NA
DST:	NA


MUD PROGRAM


DEPTH	TYPE	MUD WT	WATER LOSS	VISCOSITY	TREATMENT
SC - TD	water	Water	NC	27	Polymer, Gyp
a complete count		e Bare en i			


Circ. Hole clean @ TD, sp	oot brine pill @ TD for casing. Minimize corro	sion chemicals	
REPORT ALL LOSSES,	INCLUDING SEEPAGE		
DDITIONAL INFORMATION			
***************************************	-		
•			
		1	
-			
RILLING ENGINEER:		DATE:	
	Ahmed Ismail		
RILLING MANAGER:		DATE:	
	Darrell Molnar		
RILLING SUPERINTENDENT:		DATE:	
	Larry Strachoim	<u> </u>	
















EOP STACK





CULTURAL RESOURCE EVALUATION OF 17 PROPOSED WELL LOCATIONS IN THE KENNEDY WASH, BONANZA & WONSITS FIELDS OF UINTAH COUNTY, UTAH

(Kennedy Wash #13-2 Bonanza #8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal #1-6, 2-6, 3-6, 4-6, Wonsits State #9-32, 10-32, 11-32, 12-32, 13-32)

Report Prepared for El Paso Production Company (Coastal Oil & Gas Corporation)

Department of Interior Permit No.: Ut-54937

AERC Project 1689 (COGO1-04B)
Utah State Permit No.: Ut01AF0023b

Author of Report: F. Richard Hauck, Ph.D.



RECEIVED

MAY 2 1 2001

DIVISION OF OIL, GAS AND MINING

ARCHEOLOGICAL-ENVIRONMENTAL RESEARCH CORPORATION

3005 Cave Hollow Way, Suite A -- Bountiful, Utah 84010

P.O. Box 853, Bountiful, Utah 84011

Phone: (801) 292-7061, 292-9668

FAX: (801) 292-9668

E-mail: ari@xmission.com Web page: www.ari-aerc.org

March 30, 2001

ABSTRACT

An intensive cultural resource evaluation has been conducted for Coastal Oil & Gas Corporation of 17 proposed well locations in the Kennedy Wash, Bonanza and Wonsits Fields (Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32) and their respective access/pipeline corridors in Uintah County, Utah. About 213 acres (170 acres associated with well pads, 43 acres associated with 3.55 miles of access/pipeline corridors) were examined by AERC archaeologists during evaluations conducted between March 20 and 22, 2001.

No previously recorded cultural resources will be adversely affected by the proposed development. Site 42UN781 is situated ca. 100 meters to the west of Bonanza Unit 9-5; it is outside the development area and can easily be avoided during the construction of that location. Other known cultural sites situated in the general region are not endangered by direct adverse effect relative to these developments because of their distance from the present project areas.

No paleontological loci were observed.

No newly identified cultural resource sites or isolated diagnostic artifacts were recorded during the examination.

AERC recommends project clearance based upon adherence to the stipulations noted in the final section of this report.

TABLE OF CONTENTS

							pag	е
Abstract	•		•	•	•	•	•	ii
Table of Contents	•	•	٠			. •		iii
List of Maps of the Project Area		•	•			•		iv
Colorado Resource Survey Manage	ment l	Informat	tion Fo	rm .				v
General Information	•				•	•		1
Project Location .		•	•	•		•		1
Environment		•	•	•				7
File Search		•		•				7
Study Objectives and Expected Res	sults							8
Site Potential in the Develo	pment	Zone				•	•	8
Field Evaluations							•	9
Methodology	•						•	9
Site Significance Criteria			•	•	•	•		9
Results of the Inventory	•	•				•		10
Conclusion and Recommendations		•						10
Bibliography		•						11

LIST OF MAPS OF THE PROJECT AREA

		page
Map 1: General Project Area in Uintah County, Utah	•	. 2
Map 2: Cultural Resource Evaluation of Coastal's Kennedy Wash Federal Well Unit 13-2 in the Kennedy Wash Locality of Uintah County, Utah		. 3
Map 3: Cultural Resource Evaluation of Bonanza Field Locations (Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2) in Uintah County, Utah		. 4
Map 4: Cultural Resource Evaluation of Wonsits Field Locations (Wonsits Federal Units 1-6, 2-6, 3-6, 4-6)		
Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32)		
in Uintah County, Utah	•	. 5

GENERAL INFORMATION

į

The Coastal Oil & Gas Corporation (El Paso Production Company) 2001 development program involves the construction of 17 proposed well locations in the Kennedy Wash, Bonanza and Wonsits Fields (Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32) and their respective access/pipeline corridors in Uintah County, Utah. About 213 acres of proposed well pad locations and associated access/pipeline corridors were examined by AERC archaeologists during evaluations conducted between March 20 and 22, 2001. The project area is generally on public lands administrated by the Vernal Office of the Bureau of Land Management in Vernal, Utah; the five Wonsits State locations are situated on Utah State School Trust Land, which is administered by the state of Utah. The project was conducted under Department of Interior Permit No. 54937 which expires on January 31, 2002. Utah State Project No.: Ut-01-AF-0023b.

The purpose of the field study and this report is to identify and document cultural site presence and to determine cultural resource National Register eligibility relative to established criteria (cf., 36 CFR 60.6). Federal regulations require an environmental assessment of the potential development area. One aspect of such an assessment involves a Class I (records search) and Class III (intensive survey) archaeological evaluation of the development area. Such investigations are accomplished in compliance with the Antiquities Act of 1906, the Historic Sites Act of 1935, Section 106 of the National Historic Preservation Act of 1966, as amended, the National Environmental Policy Act of 1969, the Federal Land Policy and Management Act of 1976, the Archaeological Resources Protection Act of 1979, the Native American Religious Freedom Act of 1978, the Historic Preservation Act of 1980, and Executive Order 11593.

To accomplish this investigation, a total of 213 acres was examined by the archaeologists.

All field notes and report information concerning this project are filed at the AERC office in Bountiful, Utah.

Project Location

The project area is to the south and southwest of Vernal, Utah. The 17 proposed well developments are located in the Kennedy Wash, Seven Sisters and Deadman Bench localities and are identifiable on the Bonanza, Asphalt Wash and Red Wash NW topographic quads. Locations of each proposed well pad are as follows:

Kennedy Wash Unit No. 13-2: This location is situated in the NW quarter of the SW quarter of Section 13, Township 8 South, Range 23 East as shown on Map 2.



MAP 1 **GENERAL PROJECT AREA IN UINTAH COUNTY, UTAH**




PROJECT: SCALE:

COG01-04B 1: 200,650

DATE:

3/29/01



TOWNSHIP: multiple **RANGE:** multiple **MERIDIAN:** multiple

Utah Geological and Mineral Survey Map 43

1977


Physiographic Subdivisions of Utah by W.L. Stokes



वर्गाहरमाहरूमा होचेऽ(हाग्रहालीच चेंगनाग्रहा GOVERNES KANNEDY VOGETA WERE WINDS FRANCISCO STATE OF SINGS



PROJECT: COG01-04B SCALE: 1:24,000 Bonanza QUAD: DATE: March 29, 2001





TOWNSHIP: 8 South RANGE: 23 East **MERIDIAN: Salt Lake**

B. & M.

LEGEND

Well Location

Survey Area

Combined Access Route & Pipeline Corridor

Pipeline Corridor Access


Route



लेश हरेश र वे स्टार्ट कार लिया है। स्टार्ट के (दी/(व)१४:१४/व) के मान सम्बद्धाः है (४/१:१४(व)८६८)



PROJECT: COG01-04B SCALE: 1:24,000 Asphalt Wash QUAD: DATE: March 29, 2001





TOWNSHIP: 10 South RANGE: 23 East

MERIDIAN: Salt Lake

B. & M.

LEGEND

Well Location

Survey Area

Combined Access Route & Pipeline Corridor

Pipeline Corridor Access

Route








PROJECT: COG01-04B SCALE: 1:24,000 QUAD: Red Wash NW

DATE: March 29, 2001





TOWNSHIP: 7 & 8 South

RANGE: 22 East **MERIDIAN: Salt Lake**

B. & M.

EGEND.

Well Location

Survey Area

Pipeline Combined Access Route & Pipeline

Corridor

Corridor Access Route

Bonanza Unit No. 8-2: This location is situated in the SE quarter of the SE quarter of Section 8, Township 10 South, Range 23 East as shown on Map 3.

Bonanza Unit No. 9-5: This location is situated in the SE quarter of the SW quarter of Section 9, Township 10 South, Range 23 East as shown on Map 3.

Bonanza Unit No. 9-6: This location is situated in the NW quarter of the NE quarter of Section 9, Township 10 South, Range 23 East. An access/pipeline corridor extending to the north from the location links with the existing road in the SE quarter of adjacent Section as shown on Map 3.

Bonanza Unit No. 10-2: This location is situated in the NW quarter of the NW quarter of Section 10, Township 10 South, Range 23 East. A short access/pipeline corridor extending to the southeast from the location was also examined as shown on Map 3.

Bonanza Unit No. 10-3: This location is situated in the NW quarter of the NE quarter of Section 10, Township 10 South, Range 23 East. An access corridor extending to the west from the location and a short pipeline corridor extending to the south from the location were also examined as shown on Map 3.

Bonanza Unit No. 10-4: This location is situated in the SW quarter of the NE quarter of Section 10, Township 10 South, Range 23 East. An access/pipeline corridor extending to the southeast from the location was also examined as shown on Map 3.

Bonanza Unit No. 11-2: This location is situated in the SW quarter of the NW quarter of Section 11, Township 10 South, Range 23 East. An access/pipeline corridor extending to the south from the location was also examined as shown on Map 3.

Wonsits Federal Unit No. 1-6: This location is situated in the NW quarter of the NW quarter of Section 6, Township 8 South, Range 22 East. An access corridor extending to the northwest from the location and a short pipeline corridor extending to the south from the location were also examined as shown on Map 4.

Wonsits Federal Unit No. 2-6: This location is situated in the SE quarter of the NW quarter of Section 6, Township 8 South, Range 22 East. An access/pipeline corridor extending to the north from the location was also examined as shown on Map 4.

Wonsits Federal Unit No. 3-6: This location is situated in the NW quarter of the NE quarter of Section 6, Township 8 South, Range 22 East as shown on Map 4.

Wonsits Federal Unit No. 4-6: This location is situated in the SW quarter of the NE quarter of Section 6, Township 8 South, Range 22 East. An access/pipeline corridor extending to the north from the location was also examined. That corridor links with an access/pipeline corridor that extends between the NW corner of Section 1, Township 8 South, Range 21 East through the

northern half of Section 6, Township 8 South, Range 22 East, to an existing well location in the center of adjacent Section 5 as shown on Map 4.

Wonsits State Unit No. 9-32: This location is situated in the NE quarter of the SW quarter of Section 32, Township 7 South, Range 22 East. An access/pipeline corridor extending to the northeast from the location was also examined as shown on Map 4.

Wonsits State Unit No. 10-32: This location is situated in the NE quarter of the NE quarter of Section 32, Township 7 South, Range 22 East. A pipeline corridor extending to the south and southwest from the location was also examined as shown on Map 4.

Wonsits State Unit No. 11-32: This location is situated in the NE quarter of the SE quarter of Section 32, Township 7 South, Range 22 East. A pipeline corridor extending to the south from the location was also examined as shown on Map 4.

Wonsits State Unit No. 12-32: This location is situated in the SW quarter of the NW quarter of Section 32, Township 7 South, Range 22 East. A pipeline corridor extending to the east from the location was also examined as shown on Map 4.

Wonsits State Unit No. 13-32: This location is situated in the SW quarter of the SW quarter of Section 32, Township 7 South, Range 22 East. An access/pipeline corridor extending to the south from the location was also examined as shown on Map 4.

Environment

The approximate elevations for the proposed pipeline corridor as described above range from 5100 to 5400 feet above sea level. Ephemeral drainages in the project area are associated with tributaries that drain southward into the White River.

The vegetation of the project locality is primarily associated with the sage rangeland environment. Vegetation species commonly found in this general area include Artemisia tridentata, Chrysothamnus nauseosus, Atriplex spp., Sarcobatus vermiculatus, Opuntia polyacantha, Ephedra spp. and various grasses including Hordeum jubatum and Bromus tectorum. Surrounding vegetation consists of Artemisia tridentata and Ephedra spp.

The project area is situated in the Colorado Plateau physiographic province.

File Search

Records searches were conducted Vernal District Area office on March 15, 2001 and at the Antiquities Section in Salt Lake City on January 12, March 16 and March 19, 2001. Earlier projects conducted in these specific project localities include the following: 78-AF-343, 79-AF-317, 79-NH-278, 79-NH-297, 79-NH-343, 79-UA-205, 80-PA-499, 81-UB-620, 81-NH-564, 81-

NH-590, 83-BC-465, \$3-BC-846, 83-BC-420, 84-AF-0391, 87-SJ-486, 89-AF-660, 89-BL-224, 90-AF-133, 90-AF-608, 91-AF-301, 94-CB-223, 94-GB-223, 95-AF-836, 96-MM-106, 98-AF-339, 00-AF-267 and 00-AF-461.

Other archaeological consultants in addition to AERC and the local BLM archaeologists that have worked in the project area include personnel from Montgomery Archaeological Consultants, Alpine Archaeological Consultants, Nickens and Associates, Brigham Young University, and Grand River Institute. Known archaeological sites within the project areas include: 42UN784, 42UN800, 42UN1166 and 42UN2109, .

Previous evaluations and area inventories indicate the occupation of the general cultural region has included diverse prehistoric and historic occupations (ranging from Paleoindian through late prehistoric Shoshonean and historic Ute/Euro-American). For a comprehensive treatment of the prehistory and history of this general cultural area see <u>Archaeological Evaluations in the Northern Colorado Plateau Cultural Area</u> (Hauck 1991)

The National Register of Historic Places has been consulted and no registered historic or prehistoric properties will be affected by the proposed development.

STUDY OBJECTIVES AND EXPECTED RESULTS

The purpose of this evaluation was to identify, evaluate, and record any cultural resources encountered within the proposed Coastal Oil & Gas pipeline development area; to determine the significance of identified resources; and to recommend appropriate mitigation measures relative to the preservation of resources found to be endangered by the project.

These objectives were accomplished by seeking surface indications of cultural resource presence. Cultural resource sites would be identified by the presence of three or more associated artifacts and/or features that demonstrate the presence of patterned human activity and then recorded on the appropriate IMACS forms.

The previous identification of prehistoric and historic cultural resources in the general area indicated a possibility that additional resources could be discovered during these evaluations.

No constraints, e.g., snow cover, dense vegetation, difficult weather, were imposed on the evaluation of this pipeline corridor; all of the snow-cover in the project area had melted when the project was completed on March 27, 2001.

Site Potential in the Project Development Zone

Previous archaeological evaluations in this general region have resulted in the identification and recording of limited archaeological resources in this locality. Such prehistoric

sites as have been recorded demonstrate a definitive selection of environmental community and water resource.

FIELD EVALUATIONS

Methodology

To accomplish an intensive evaluation of the 17 well locations and access/pipeline corridors as shown on the maps, the archaeologists examined ten acre parcels surrounding each well center and 30 meter-wide pipeline/access corridors. All together, a 100% pedestrian survey was conducted of about 213 acres.

When cultural materials are discovered, the archaeologist conducts a careful search of the vicinity to locate and evaluate features, artifact types and concentrations, site spatial associations, and temporal identifications. Sites and isolates are then recorded on the appropriate forms, locations sketched, perimeters marked on a topographic map, and photographs taken. Copies of these reports are provided to the appropriate State and Federal offices as attachments to the final report.

In certain instances, the cultural sites are then evaluated for depth potential utilizing AERC's portable Ground Penetrating Radar (GPR) computerized system (SIR-2 manufactured by Geophysical Survey Systems, Inc. [GSSI] of North Salem, New Hampshire). GPR was not used during this project.

Cultural sites are then evaluated for significance utilizing the standards described below and mitigation recommendations are considered as a means of preserving significant resources which may be situated within the development zone.

Site Significance Criteria

The various criteria relative to establishing the eligibility of prehistoric and historic cultural sites preparatory to their potential nomination to the National Register of Historic Places have been outlined as follows in the National Register's Criteria for Evaluation as established in Title 36 CFR 60.6:

The quality of significance in American ... archaeology ... and culture is present in ... sites ... that possess integrity of location, design, setting, materials, workmanship, feeling, and association and:

- a. That are associated with events that have made a significant contribution to the broad patterns of our history; or
- b. that are associated with the lives of persons significant in our past; or
- c. that embody the distinctive characteristics of a type, period, or method of construction ...; or
- d. that have yielded, or may be likely to yield, information important in prehistory or history.

In addition to satisfying one or more of these general conditions, a significant cultural resource site in Utah will generally be considered as being eligible for inclusion in the National Register if it still retains its integrity and can contribute to our current state of knowledge concerning chronology, cultural relationships, origins, and cultural life ways of prehistoric or historic groups in the area.

In a final review of any site's cultural significance, the site must possess integrity and at least one of the above criteria to be considered eligible for nomination to the National Record of Historic Places.

Results of the Inventory

During the survey of the various well locations and access/pipeline corridors referenced in this report, no newly identified cultural resources were encountered and recorded as sites or isolated diagnostic artifacts. An isolated chopper and several flakes associated with tap and test evaluations were observed on the access corridor into Wonsits Federal Unit No. 1-6. An isolated flake was also observed at the junction of the access/pipeline corridor in the NE of the NE quarter of Section 1, Township 8 South, Range 21 East (see Map 4).

No previously recorded cultural resources will be adversely affected by the proposed development. Site 42UN781 is situated ca. 100 meters to the west of Bonanza Unit 9-5; it is outside the development area and can easily be avoided during the construction of that location. This site was recorded by AERC in 1979 (cf., Hauck and Norman 1979). Other known cultural sites situated in the general region are not endangered by direct adverse effect relative to these developments because of their distance from the present project areas.

No paleontological loci were observed.

No newly identified cultural resource sites were recorded during the examination.

CONCLUSION AND RECOMMENDATIONS

AERC recommends that a cultural resource clearance be granted to Coastal Oil & Gas Corporation relative to the development of 17 proposed well locations in the Kennedy Wash, Bonanza and Wonsits Fields (Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32) and their respective access/pipeline corridors as referenced in this report based upon adherence to the following stipulations:

1. All vehicle traffic, personnel movement, and construction should be confined to the flagged pipeline corridor as referenced in this report, or to existing routes;

- 2. All personnel should refrain from collecting artifacts or from disturbing any cultural resources in the area; and
- 3. The principal authority should be consulted should cultural remains from subsurface deposits be exposed during exploratory and developmental work or if the need arises to relocate or otherwise alter the development area; and
- 4. The development of Bonanza Unit 9-5 should be confined to the existing perimeters of the staked location. Any disturbance of cultural resources in that location's vicinity may result in the Bureau of Land Management requiring extensive mitigation of affected resources through archaeological excavation.

F. Richard Hauck, Ph.D.

President and Principal

Investigator

BIBLIOGRAPHY ·

Barclay, Dulaney

1996 Chandler & Associates Larson Federal 12-3-8-23 Well Pad & Access Road, Class III Cultural Resource Inventory, Uintah County, Utah. Metcalf Archaeological Consultants, Inc., Montrose.

Billat, Scott and Michael J. Hall

1983 An Archaeological Survey of the White River Oil Shale 138kv Transmission Line, Uintah County, Utah. Brigham Young University, Department of Anthropology, Technical Series No. 83-9, Provo.

Billat, Scott and Lorna Billat

An Archaeological Survey of the Vernal-Bonanza 138kv Transmission Line, Uintah County, Utah. Brigham Young University, Department of Anthropology, Technical Series No. 83-69, Provo.

Chandler, Susan M. and Paul Nickens

1979a Archaeological Investigations of Two Power Plant Sites & Water Pipeline Corridors for the Moon Lake Project, Rio Blanco County, Colorado & Uintah County, Utah. Moon Lake Project Report 79-4, Centuries Research, Inc., Montrose.

Christensen, Diana

- 1981a Archaeological Survey of the Bonanza-Castle Peak-Upalco Transmission Line, Bonanza Power Plant / Moon Lake Project 1981.Report Prepared by Nickens and Associates, Montrose.
- 1981b Archaeological Survey of the Bonanza-Vernal Transmission Line, Bonanza Power Plant Project 1981. Report Prepared by Nickens and Associates, Montrose.

Hauck, F. Richard

- Archaeological Evaluations on the Northern Colorado Plateau Cultural Area, <u>AERC Paper No. 45</u>, Archeological-Environmental Research Corporation, Bountiful.
- 2000a Cultural Resource Evaluation of Three Proposed (Kennedy Wash)Units (State 16-1, Federal 13-1 & Federal 8-1) in the Kennedy Wash Locality of Uintah County, Utah. (COG00-12), Archeological-Environmental Research Corporation, Bountiful.
- 2000b Cultural Resource Evaluations of Five Proposed Coastal Oil & Gas Wells (Units 3-1, 4-1, 6-1, 11-1, & 14-1) in the Kennedy Wash Locality of Uintah County, Utah. (COG00-19), Archeological-Environmental Research Corporation, Bountiful.
- 2001a Cultural Resource Evaluations of 9 Proposed Coastal Oil & Gas Well Locations (Units 10-1, 3-8-23-22, 3-8-23-24, 3-8-23-42, 3-8-23-44, 7-8-23-14, 12-8-22-34, 13-8-22-32 & 18-8-23-12) in the Kennedy Wash Field of Uintah County, Utah. (COG01-04A), Archeological-Environmental Research Corporation, Bountiful.

2001b Cultural Resource Evaluations of 17 Proposed Well Locations in the Kennedy Wash, Bonanza and Wonsits Fields (Kennedy Wash Unit 13-2, Bonanza Units 8-2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3-6, 4-6, Wonsits State Units 9-32, 10-32, 11-32, 12-32, 13-32) of Uintah County, Utah. (COG01-04B), Archeological-Environmental Research Corporation, Bountiful.

Hauck, F. Richard, Richard Beaty and Dennis G. Weder

Prehistoric Occupations in the Red Wash Locality of Uintah County, Utah. <u>AERC Paper No. 44</u>, of the Archeological-Environmental Research Corporation, Bountiful.

Hauck, F.R. and Garth Norman

- 1979 Archaeological Reconnaissance of a Proposed Access Road in the Southman Canyon Locality of Uintah County, Utah. (GOC79-3), Archeological-Environmental Research Corporation, Bountiful.
- Final Report on the Mapco River Bend Cultural Mitigation Study. <u>AERC Paper No.</u> 18, of the Archeological-Environmental Research Corporation, Bountiful.

Jacklin, Marion

1981 Reconnaissance of Pipeline Right-of-way 81018 - Federal 23-17 & Right-of-way 8036 - Federal 23-25. Archaeological Research Corporation, Spanish Fork.

Larralde, Sigma L. and Paul R. Nikens.

1980 Archaeological Inventory in the Red Wash Cultural Study Tract, Uintah County, Utah. Nickens & Associates, Montrose.

Larralde, Sigma L. and Susan Chandler.

1981 Archaeological Inventory in the Seep Ridge Cultural Study Tract, Uintah County, Northeastern Utah with A Regional Predictive Model for Site Location. Nickens & Associates, Montrose.

Polk, Michael R.

1987 A Cultural Resources Survey of a Moon Lake Electric Transmission Line Corridor on Deadman Bench, Uintah County, Utah. Sagebrush Archaeological Consultants, Ogden.

Simms, Steven R.

1979 A Cultural Resource Inventory of the Riverbend Gathering System Uintah County, Utah. Archaeological Center, University of Utah, Salt Lake City.

Stokes, W.L.

1977 <u>Physiographic Subdivisions of Utah.</u> Map 43, Utah Geological and Mineral Survey, Salt Lake City.

U.S.	•	Project
Department of the Interio	or	Authorization No UT-01)0023b
Bureau of Land Manager	ment	
Utah State Office		Report Acceptable Yes No
(AERC FORMAT)	•	Mitigation Acceptable Yes No
Summary Report of		Comments:
Inspection for Cultural R	lesources	
•		Evaluation of 17 Proposed Well Locations in the Kennedy Wash
•		sits Fields of Uintah County, Utah (Kennedy Wash Unit 13-2,
	Bonanza Units 8-2	2, 9-5, 9-6, 10-2, 10-3, 10-4, 11-2, Wonsits Federal Units 1-6, 2-6, 3
		ite Units 9-32, 10-32, 11-32, 12-32, 13-32)
1. Report Title		
2. Development Compa	anyEl Paso Produ	uction Company (Coastal Oil & Gas Corporation)
3. Report Date 03/30		
5. Responsible Institutio	<u>n</u> AERC COG01-04	B County Uintah
6. Fieldwork Location:	TWN 8 S . RNG	23 E. Section 13, TWN . 10 S . RNG 23 E . Sections 8-11,
TWN 7 S . R	NG .22 E. Sections 31 &	& 32, TWN 8 S . RNG 22 E. Sections 5 & 6
7. Resource Area BC.		
	nation Procedures: Th	e archeologists, F.R. Hauck, Alan Hutchinson, Matt Boyten,
		mined the 17 well pads (10 acre parcels) and the access/pipeline
		to 20 meter-wide transects.
9. Linear Miles Surveye		10. Inventory Type .I.
and/or	_	
Definable Acres Surveye	ed	R = Reconnaissance
and/or		I = Intensive
Legally Undefinable		S = Statistical Sample
Acres Surveyed	213	T
110100 001100		
11. Description of Findi	ings: No cultural resor	urces 12. Number Sites Found $.0.$ (No sites = 0)
observed or reco	• •	13. Collection: N . $(Y = Yes, N = No)$
000017000017000		(= = = = = = = = = = = = = = = = = = =
14. Actual/Potential Nat	tional Register Propertie	es Affected:
		s (NRHP) has been consulted and no registered properties will be
affected by the proposed	•	- (
ajjecica by the proposes	z do roto privotos	
15 Literature Search I	ocation/ Date: Utah SI	HPO 01-12-01, 03-16-01, 03-19-01, Vernal BLM 03-15-01
15. Dictarate Scareir, 1	100ation Bate.	
16. Conclusion/ Recom	mendations:	
		ranted to Coastal Oil & Gas Corporation for this proposed development based on the following
stipulations:	maffic nerrounal movement cone	truction and restoration operations should be confined to the existing corridor.
2. All personnel	l should refrain from collecting arti	facts and from disturbing any significant cultural resources in the area.
		uld cultural remains from subsurface deposits be exposed during construction work or if the need
	cate or otherwise alter the location nent of Bonanza Unit 9-5 should be	of the development. I confined to the existing perimeters of the staked location. Any disturbance of cultural resources it
that location		of Land Management requiring extensive mitigation of affected resources through archaeological
excavation.		
17 Signature of Admin	histrator & Field Superv	visor:
17. Signature of Autum	nominar de l'inter oupet	Administrator: ()
		Field Lottande

Supervisor:

UT 8100-3 (2/85)

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 05/21/2001	API NO. ASSIGNED: 43-047-34088			
WELL NAME: BONANZA 9-5 OPERATOR: COASTAL OIL & GAS CORP (N0230) CONTACT: CHERYL CAMERON	PHONE NUMBER: 4	35-781-7023		
PROPOSED LOCATION:	INSPECT LOCATN	BY: / /		
SESW 09 100S 230E SURFACE: 1273 FSL 1822 FWL	Tech Review	Initials	Date	
BOTTOM: 1273 FSL 1822 FWL UINTAH	Engineering			
NATURAL BUTTES (630)	Geology			
LEASE TYPE: 1 - Federal	Surface			
LEASE NUMBER: U-37355 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: WSMVD				
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. U-605382-9) Potash (Y/N) Noil Shale (Y/N) *190-5 (B) or 190-3 Water Permit (No. 43-8496) N RDCC Review (Y/N) (Date:) No Fee Surf Agreement (Y/N)	Drilling Uni Board Cause Eff Date: Siting:	Jnit General From Qtr/Qtr & 920' Exception it E No: 179-9 (4/320') £-920' between welle	
STIPULATIONS: DECERAL APPROVAL				



OPERATOR: COASTAL O&G CORP (N0230)

SEC. 8 & 9, T10S, R23E

FIELD: NATURAL BUTTES (630)

COUNTY: UINTAH CAUSE: 179-9 (4/320')

	CHAPITA WELLS	UNIT
T10S R23E	FEDERAL 1-5	
6 SAGE HEN 1-6 *	SOUTHMAN CYN 4-5 NATURAL BUTTES	FIELD
FLAT MESA 2-7	CAUSE 179-9 (4/320') (12-28-99)	NO NAME CANYON 2-9 * NO NAME CANYON 1-9 *
7 * FLAT MESA 1-7	8 SOUTHMAN CANYON 8-4-J BELCO-TEXOTA 1 BONANZA 8-2	SOUTHMAN CANYON 9-4-J BONANZA 9-5 SOUTHMAN CANYON 9-3-M
CANYON VIEW FED 1-18	CROOKED CANYON 1-17	* KAYE STATE 1-16
18 1		16 * LOOKOUT POINT ST 1-16

PREPARED BY: LCORDOVA DATE: 22-MAY-2001



Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

May 24, 2001

Coastal Oil & Gas Corporation PO Box 1148 Vernal, UT 84078

Re:

Bonanza 9-5 Well, 1273' FSL, 1822' FWL, SE SW, Sec. 9, T. 10 South, R. 23 East,

Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34088.

Sincerely,

John R. Baza

Associate Director

er

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:		Coastal Oil & Gas Corporation				
Well Name & Number_		Bonanza 9-5	za 9-5			
API Number:		43-047-34088				
Lease:		U 37355				
Location: SESW	Sec. 9	T. 10 South	R. 23 East			

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	DIVISION OF OIL, GAS AND	MINING		5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPO	RTS ON WE	LLS	6 IF INDIAN ALLOTTEE OR TRIBE NAME:
	new wells, significantly deepen existing wells bel			7. UNIT or CA AGREEMENT NAME:
drill horizontal	laterals. Use APPLICATION FOR PERMIT TO D			
1. TYPE OF WELL OIL WELL	GAS WELL OTH	ER		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:				Exhibit "A" 9. API NUMBER:
	o Production Oil & Ga	s Company		<u> </u>
3. ADDRESS OF OPERATOR:	**	04070	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	y Vernal STATE Uta	h zip 840/8	435-789-4433	L
FOOTAGES AT SURFACE:			$\mathcal{F}_{\mathcal{F}} = \{ x \in \mathcal{F} \mid x \in \mathcal{F} \mid x \in \mathcal{F} \}$	COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RAI	IGE, MERIDIAN:			STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDI	CATE NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTU	RE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CO	NSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERAT	OR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AN	D ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BA	СК	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUC	TION (START/RESUME)	WATER SHUT-OFF
Zina ai main gampionari.	COMMINGLE PRODUCING FORMATI	ONS RECLAM	ATION OF WELL.SITE	X OTHER: Name Change
	CONVERT WELL TYPE	RECOMP	LETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show	y all perlinent details	including dates, depths, volum	es, etc.
As a result of	the merger between Th	e Coastal	Corporation and	a wholly owned
subsidary of El	Paso Energy Corporat	ion, the n	ame of Coastal (Oil & Gas Corporation
has been change	d to El Paso Producti	on Oil & G	as Company effe	ctive March 9, 2001.
	Coc	e Exhibit "	A *11	
	See	EXHIBIT	A.	
/ 00 11107/	20			
Bond # 400JU070				
() r 1	al Oil & Gas Corporat T/Elzaer		LE Vice Presid	ent
NAME (PLEASE PRINT) JOHN	1 Elangi		LE VICE TIESTA	
SIGNATURE		DA	TE 06-15-01	
$\frac{-}{\left(\frac{-}{1}\right)_{\text{E1 Pa}}}$	so Production Oil & (as Company		
\ /	T Elzner		TILE Vice Presid	lent
WAME II LEAGE FRIIN)	7)(**
SIGNATURE		0	ATE 06-15-01	
This space for State use only				CPL64 MADELINE
The space of the day				RECEIVED

JUN 19 2001

State of Delaware Office of the Secretary of State

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.



HIR 20th

DIVISION OF DIL GAS AND MINING



Warriet Smith Windson Harriet Smith Windson, Secretary of State

AUTHENTICATION: 1061007

DATE: 04-03-01

0610204 8100

010162788

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall

Vice President

Attest:

tret E. Roark, Assistant Secretary

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 11:00 AM 03/09/2001 010118394 - 0610204

1UN 19 2001



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

RECEIVED

JUL 12 2001

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTSL-065841 (UT-924)

JUL 1 0 2001-

NOTICE

El Paso Production Oil & Gas Company

Oil and Gas

Nine Greenway Plaza

•

Houston TX 77046-0095

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Coastal Oil & Gas Corporation</u> into <u>El Paso Production Oil & Gas Company</u> with <u>El Paso Production Oil & Gas Company</u> being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entitities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.

Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922)

Joe Incardine (UT-921)

Exhibit of Leases

		T	* ***** * * * * * * * * * * * * * * *
UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	
010-72707	010-14414	010 01020	

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING

WOUTH 18							
1. GLH 🟒	4-KAS						
2. CDW	5-LP 🗸						
3. JLT	6-FILE						

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below ha	s changed, effective:	3-09-200)1	_		
FROM: (Old Operator):		TO : (Ne	w Operator):			
COASTAL OIL & GAS CORPORATION		`	PRODUCTIO	NOIL & GA	S COMI	PANV
Address: 9 GREENWAY PLAZA STE 2721			9 GREENWA			
Addiess. 9 OREENWAT TEALA STE 2/21		Addiess.	3 GREENWA	TILAZA	31L 2/21	KWI 2973L
HOUSTON, TX 77046-0995			N, TX 77046-			
Phone: 1-(713)-418-4635		Phone:	1-(832)-676-4	4721		
Account N0230		Account	N1845	····		
	A No.	Unit:				
WELL(S)	A NO.	Unit:				
WELL(S)	API	ENTITY	SEC TWN	LEASE	WELL	WELL
NAME	NO	NO	RNG	TYPE	TYPE	STATUS
HSB FEDERAL 3-1	43-047-33831	13146	03-07S-21E	FEDERAL		S
WONSITS FEDERAL 1-6	43-047-34081	99999	06-08S-22E	FEDERAL		APD
WONSITS FEDERAL 2-6	43-047-34082	99999	06-08S-22E	FEDERAL		APD
WONSITS FEDERAL 3-6	43-047-34059	99999	06-08S-22E	FEDERAL		APD
WONSITS FEDERAL 4-6	43-047-34083	99999	06-08S-22E	FEDERAL		APD
FEDERAL 24-22	43-047-30610	6124	22-08S-22E	FEDERAL		P
CESSPOUCH ETAL 5 14	43-047-30675	90	05-09S-21E	FEDERAL		P
CESSPOUCH 5-193 (CA CR-4)	43-047-33978	99999	05-09S-21E	FEDERAL		APD
FEDERAL 6-100 (CA CR-12)	43-047-33401	12695	06-09S-22E	FEDERAL		P
BONANZA 8-2	43-047-34087	99999	08-10S-23E	FEDERAL		APD
BONANZA 9-5	43-047-34088	99999	09-10S-23E	FEDERAL	GW	APD
BONANZA 10-2	43-047-34089	99999	10-10S-23E	FEDERAL	GW	APD
BONANZA 10-3 (CA CR-5)	43-047-34090	99999	10-10S-23E	FEDERAL	GW	APD
WILLOW CREK UNIT 2	43-047-31818	11604	05-11S-20E	FEDERAL	ow	TA
HILL FEDERAL 1-10	43-047-31026	1368	10-11S-20E	FEDERAL	GW	TA
WILLOW CREK UNIT 1	43-047-31775	10804	27-11S-20E	FEDERAL	GW	S
HELLS HOLE 9110	43-047-31803	10813	12-11S-25E	FEDERAL	GW	P
SW HANGING ROCK FEDERAL 23-1	43-047-34231	99999	23-12S-23E	FEDERAL	GW	NEW
SW HANGING ROCK FEDERAL 24-1	43-047-34232	99999	24-12S-23E	FEDERAL	GW	NEW
SW HANGING ROCK FEDERAL 25-1	43-047-34233	99999	25-12S-23E	FEDERAL	GW	NEW
OPERATOR CHANGES DOCUMENTAT	ION			. =		
1. (R649-8-10) Sundry or legal documentation was re	ceived from the FORM	ER operato	or on:	06/19/2001		
 (R649-8-10) Sundry or legal documentation was re The new company has been checked through the D 	epartment of Commer	ce, Divisior	_		e on:	06/21/200
4. Is the new operator registered in the State of Utah:	YES	Business 1	Number:	608186-014	3	

5.	If NO, the operator was contacted contacted on: N/A
6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on:
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
D .	ATA ENTRY: Changes entered in the Oil and Gas Database on: 08/24/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 08/24/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
S	FATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
F	EDERAL BOND VERIFICATION:
1.	Federal well(s) covered by Bond No.: WY 2793
F	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond No: N/A
2.	The FORMER operator has requested a release of liability from their bond on: The Division sent response by letter on: N/A N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
	ILMING: All attachments to this form have been MICROFILMED on:
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
C	DMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso
Pr	oduction Oil and Gas Company shall be retained in the "Operator Change File".

. 06

JAN. 17. 2003 3:34PM

"STPORT



NO. 173 P. 2

WESTPORT OIL AND GAS COMPANY, L.P.

41g Sevenisenth Street #2300 Denver Colorada 60202-4436 Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior Bureau of Land Management 2850 Youngfield Street Lakewood, CO 80215-7093 Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203

BLM Nationwide Bond 158626364
Surety - Commental Casualty Company

Beleo Energy Corporation merger into Westport Oil and Gas Company, Inc.

Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.

Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (Z) Assumption Riders, fully executed originals.

Copies of Beico Energy Corporation merger into Westport Oil and Gas Company, Inc., Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.

List of all Federal/BIA/State Leases - Beloo/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Black

Debby J. Black

Engineer Technician

Encl:



United States Department of the Interior RECEIVED

BUREAU OF LAND MANAGEMENT

FEB 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF OIL GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

NOTICE

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

Denver Colorado 80215-7093

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> Robert Lopez Chief, Branch of Minerals Adjudication

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922) Joe Incardine (UT-921)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, Utah 84078-2799

Phone: (435) 781-4400 Fax: (435) 781-4410

IN REPLY REFER TO: 3160 UT08300

April 4, 2002

APR 0 8 2882

OIL, CAS ALD MILLION

Cheryl Cameron
El Paso Production Oil & Gas Co.
P. O. Box 1148
Vernal, Utah 84078

Re:

Well No. Bonanza #9-5 SESW, Sec. 9, T10S, R23E Uintah County, Utah Lease No. UTU-37355 43-0 47-34688

Dear Cheryl:

The Application for Permit to Drill (APD) the above referenced well, received May 21, 2001, is being returned unapproved. There has been no expression of interest in discussing drainage, flood plain, and cut slope issues. If your plans change and you intend to drill at this location at a future date, a new APD must be submitted.

If you have any questions concerning APD processing, please contact me at (435) 781-4497.

Sincerely,

Leslie Walker

Legal Instruments Examiner

Leslie Walker

cc: UDOGM-Lisha Cordova

L'Held per of until exp. date 5-24-02.



1368 So. 1200 East Vernal Utah 84078 Phone: 1-435-781-7023 Fax: 1/435-781-7023

El Paso Energy



Cheryl

	DIA	na Masor	1			
To:		i Danteis		From:	Cheryl Cameron	
Fax:	(801)	359-3940		Date:	July 23, 2002	
Phone	e:			Pages:	2 (including cover s	heet)
Re:	CIGE	E 258 - 460' Letter		CC:		
	Resc	aind APD's	·			
□ Urg	ent	☐ For Review	□ Please Com	ment	☐ Please Reply	☐ Please Recycle
•Com	ments	:	• •	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Attac	h e d is	the 460' letter for	the CIGE 258			
Rosci	nd the	APD's for the Bon	anza 9-5, 10-2,	10-3 and	d the Tribal 2-168	
Thank	c you,					

MEDEWED

JUL 23 2002

DIVISION OF GAS AND MINING

July 23, 2002

Cheryl Cameron El Paso Production Oil & Gas Company P. O. Box 1148 Vernal, Utah 84078

APD Rescinded – Bonanza 9-5, Sec. 9, T. 10S, R. 23E Uintah, Utah

API No. 43-047-34088

Dear Ms. Cameron:

Re:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining on May 24, 2001. On July 23, 2002, you requested that the division rescind the approved APD . No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective July 23, 2002.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Engineering Technician

cc: Well File

Bureau of Land Management, Vernal

UNITED STATES GOVERNMENT

memorandu

Branch of Real Estate Services Uintah & Ouray Agency

. 0

5 December, 2002 Date

Reply to

Supervisory Petroleum Engineer Attn of:

Modification of Utah Division of Oil, Gas and Mining Regulations Subject

To Director, Utah Division of Oil, Gas and Mining Division: John Baza

> We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. leades H Cameron

CC: Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director

chrono



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240
FFB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

<u>ACTING</u>

Enclosure

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER:		
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill in drill horizontal is	7. UNIT or CA AGREEMENT NAME.		
OIL WELL	GAS WELL OTHER_		8. WELL NAME and NUMBER: Exhibit "A"
2. NAME OF OPERATOR:	o Production Oil & Gas Company		9. API NUMBER:
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
9 Greenway Plaza 4. LOCATION OF WELL	, Houston STATE TX ALL	77064-0995 (832) 676-5933	
FOOTAGES AT SURFACE:			COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RAN	NGE, MERIDIAN:		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL .
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
oute of work completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	-
	Nestport Oil and Gas Company	pertinent details including dates, depths, volume,	
BOND #			
	Fee Bond No. RLBC	0005236 0005238	RECEIVED
EL PASO PRODUCTI	ON OIL & GAS COMPANY		FEB 2 8 2003
By: The	ML		DIV. OF OIL, GAS & MINING
Jon R. Nelsen, Atto	orney-in-Fact		
	TOIL AND GAS COMPANY, L.P.		
NAME (PLEASE PRINT) David R.	Dix	Agent and Attorn	ey-in-Fact
SIGNATURE	Curry	DATE	
			

(This space for State use only)

Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BURBAU OF LAND MANAGEMENT**

TOP OT OR THE PETITION INCOMMITTOR

PORM APPROVED OMB No. 1004-0135 Expires Jaovamber 30, 2000

5. Loase Serial No.

CHURBY NATIONS AND DEBARTS AN WELLS

CEE ATTACHED EYLIDIT *A*

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.					Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side				7. If Unit or CA/Agreement, Name and/or No		
	Other			8. Well Name		
2. Name of Operator					CHED EXHIBIT "A"	
WESTPORT OIL & GAS CO	OMPANY, L.P.			9. API Well !		
3a. Address		3b. Phone No. (include	area code)	SEE ATTACHED EXHIBIT "A"		
P.O. BOX 1148 VERNAL, U		(435) 781-7023		10. Field and I	Pool, or Exploratory Area	
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Descripii	on)		l		
SEE ATTACHED EXHIBIT	'A"			11. County or UINTAH C	Parish, State OUNTY, UT	
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	PNOTICE, I	REPORT, OR C	OTHER DATA	
TYPE OF SUBMISSION		ТҮРЕ	OF ACTIO	N		
Notice of Intent	Acidize Alter Casing	Deepen [Roclamati		Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomple		X Other	
Final Abandanman Nation	Change Plans	Plug and Abendon		ily Abandon	SUCCESSOR OF	
Final Abandonment Notice Convert to Injection Plug Back Water Disp			boxan	OPERATOR		

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration their If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and ze Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 a following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filled a testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 0 4 2003

14. I hereby cer	tify that the foregoing is sue and correct		DIV: OF OIL, GAS & MINING		
Name (Printed/Typed)		Title			
		OPERATIONS			
Signature		Date March 4, 2003			
THIS SPACE FOR FEDERAL OR STATE USE					
Approved by		Title	Date		
cortify that the appli	val, if any, are attached. Approval of this notice does not warran cant holds legal or equitable this to those rights in the subject k the applicant to conduct operations thereon.	at or Office			
Title 18 U.S.C.	Section 1001, make it a crime for any person knowing or fraudulent statements or representations as to any mat	ly and willfully to make to any departm ter within its jurisdiction.	ent or agency of the United States any		
(Instructions on reve	P(-)				

OPERATOR CHANGE WORKSHEET

1. GLH 2. CDW

3. FILE

X Change of Operator (Well Sold)

5. If NO, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

Merger

	ENTITY NO 999999		WELL TYPE	WELL STATUS
Address: P O B VERNAL, UT Phone: 1-(435) Account No. Unit: API NO 43-047-34088 43-047-34089	84078 -781-7023 N2115 ENTITY NO 99999	LEASE TYPE	WELL	l .
Phone: 1-(435). Account No. Unit: API NO 43-047-34088 43-047-34770 43-047-34089	-781-7023 N2115 ENTITY NO 99999	TYPE		l .
Account No. Unit: API NO 43-047-34088 43-047-34770 43-047-34089	N2115 ENTITY NO 99999	TYPE		l .
Unit: API NO 43-047-34088 43-047-34770 43-047-34089	ENTITY NO 99999	TYPE		l .
API NO 43-047-34088 43-047-34770 43-047-34089	NO 99999	TYPE		l .
43-047-34088 43-047-34770 43-047-34089	NO 99999	TYPE		l .
43-047-34088 43-047-34770 43-047-34089	NO 99999	TYPE		l .
43-047-34088 43-047-34770 43-047-34089	99999			LSTATIS
43-047-34770 43-047-34089			GW	APD LA
43-047-34089	1フフフフブ	FEDERAL		APD
		FEDERAL		APD
1/12 M/1/2/MOM		FEDERAL		APD
43-047-34772		FEDERAL		APD
				P
				S
				APD
				P
				S
				TA
				P
				P
				S
				S
				TA
				S
				S
	<u> </u>			S
				P
	43-047-30423 43-047-34773 43-047-30560 43-047-30481 43-047-31278 43-047-30544 43-047-30369 43-047-30379 43-047-31026 43-047-31775 43-047-31489 43-047-30524	43-047-30559 1470 43-047-30423 1475 43-047-34773 99999 43-047-30560 1480 43-047-30481 1500 43-047-30462 1524 43-047-31278 8406 43-047-30544 1495 43-047-30369 1465 43-047-31026 1368 43-047-31775 10804 43-047-31489 9871 43-047-31475 9870	43-047-30423 1475 FEDERAL 43-047-34773 99999 FEDERAL 43-047-30560 1480 FEDERAL 43-047-30481 1500 FEDERAL 43-047-30462 1524 FEDERAL 43-047-31278 8406 FEDERAL 43-047-30544 1495 STATE 43-047-30369 1465 FEDERAL 43-047-30379 1485 FEDERAL 43-047-31026 1368 FEDERAL 43-047-31489 9871 STATE 43-047-30524 1460 FEDERAL	43-047-30423 1475 FEDERAL GW 43-047-34773 99999 FEDERAL GW 43-047-30560 1480 FEDERAL GW 43-047-30481 1500 FEDERAL GW 43-047-30462 1524 FEDERAL GW 43-047-31278 8406 FEDERAL GW 43-047-30544 1495 STATE GW 43-047-30369 1465 FEDERAL GW 43-047-30379 1485 FEDERAL GW 43-047-31026 1368 FEDERAL GW 43-047-31775 10804 FEDERAL GW 43-047-31489 9871 STATE GW 43-047-30524 1460 FEDERAL GW

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE
7. Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02
of operator change for all wens listed on redefat of indian leases on: BEM-12/31/2003 BIA-12/3/02
8. Federal and Indian Units:
The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003
9. Federal and Indian Communization Agreements ("CA"):
The BLM or BIA has approved the operator for all wells listed within a CA on: 01/09/2003
10. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject,
for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
DATA ENTRY:
1. Changes entered in the Oil and Gas Database on: 03/27/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/27/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A
STATE WELL(S) BOND VERIFICATION:
1. State well(s) covered by Bond Number: RLB 0005236
FEDERAL WELL(S) BOND VERIFICATION:
1. Federal well(s) covered by Bond Number: 158626364
INDIAN WELL(S) BOND VERIFICATION:
1. Indian well(s) covered by Bond Number: <u>RLB 0005239</u>
FEE WELL(S) BOND VERIFICATION:
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The FORMER operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
LEASE INTEREST OWNER NOTIFICATION:
3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
COMMENTS:

,